

Link to the product: <https://www.tesam.eu/s0001494-utilities-for-urwanych-glow-and-filaments-rose-p-12533.html>



## S0001494 - Utilities for urwanych glow and filaments ROSE

Price with TAX	<b>14 749.64 zł</b>
Price	<b>11 991.58 zł</b>
Availability	<b>Dostępny - 24h</b>
Shipping time	<b>24 hours</b>
Number	<b>S0001494</b>
EAN code	<b>5904966404047</b>

### Product description

[A large Photography - CLICK!](#)

Operations performed on the car without removing the head

**I. Product** - the instrument to do reaming and processing Nests unfinished glow plug M8, M9, M10, M12 mm without removing the head electrode

#### APPLICATION:

Cars with glow plugs M8 mm, mm M9, M10 mm, M12mm

Citroen, Peugeot, Opel, Nissan, Mercedes, Volkswagen, Audi, Seat, Skoda, Fiat, Iveco, Ford, Alfa Romeo  
Japanese and Korean cars WITH glow plugs M10 x 1.25

Kit Contents clipped glow plug:

- 1) cutter to make the legalization of slots glow plug M8 With remote control
- 2) cutter to make the legalization of slots glow plug M9 x 1 With remote control
- 3) cutter to make the legalization of slots glow plug M10 x 1 mm with remote control
- 4) cutter to make the legalization of slots glow plug M10 x 1.25 mm With remote control
- 5) Adapter puller punch cylinder glow plug 9MM
- 6) Adapter puller punch cylinder glow plug 8MM
- 7) Adapter puller punch cylinder glow plug 10MM
- 8) GWINTOWNIK M8 X 1 X M10x1 do legalization and execution thread in the sleeve glow plug M8
- 9) GWINTOWNIK M9x1 and M11x1
- 10) GWINTOWNIK M10 X 1 X M12x1 do legalization and execution thread in the sleeve glow plug M10
- 11) GWINTOWNIK and M10x1,25 M12x1,25
- 12) GWINTOWNIK and M12x1,25 M14x1,25
- 13) Specialized GWINTOWNIK M6 mm make the cylinder glow
- 14) Specialized GWINTOWNIK do M7 mm cylinder glow
- 15) Specialized GWINTOWNIK M8 x 1 mm length 135 mm
- 16) Specialized GWINTOWNIK M9 x 1 mm length 135mm
- 17) Specialized GWINTOWNIK M10 x 1 mm length 155 mm
- 18) Specialized GWINTOWNIK M10 x 1.25 mm, length 155 mm
- 19) Specialized GWINTOWNIK M12 x 1.25 mm, length 175 mm
- 20) cutter to make reaming unfinished glow plug M8
- 21) cutter to make reaming unfinished glow plug M9
- 22) cutter to make reaming unfinished glow plug M10
- 23) cutter to make reaming unfinished glow plug M12
- 24) Specialized cutter do reaming unfinished glow plug M8 - Long
- 25) Specialized cutter for boring unfinished glow plug M10 - Long
- 26) Adapter lead cutter clipped glow plug
- 27/28) lanyard clipped glow plug M8, M9, M10 mm
- 29) Spacer puller unfinished glow plug
- 30) Rotary cutter M10
- 31) Rotary cutter M9
- 32) Key to make breaking the filament glow plug

- 
- 33) knob tap with rattle
  - 34) sleeve to do repair the broken thread glow plug:
    - M8 x 1 mm (2 pieces)
    - M9 X 1 mm (2 pieces)
    - M10 x 1 mm (2 pieces)
    - M10 x 1.25 mm (2 pieces)
    - M12 x 1.25 mm (2 pieces)
  - 35) Brush cleaning do glow plugs and injectors Nests 10mm
  - 36) make brush cleaning glow nests Toyota D4D
  - 37) Brush cleaning do glow plugs and injectors 8mm Nests
  - 38) paste do glow
  - 39) ribbing striker clipped the glow plug

**II. Product** - the instrument to make removing the unfinished cylinder glow plug and filament

**APPLICATION:**

Mercedes CDI

**Set contains:**

- Gripper cylinder glow plug
- 2 collets gripper cylinder glow plug
- The head of the instrument to make removing unfinished glow plug and filament
- Gripper clamping filament glow plug - 5 pieces
- Turn the head of the device to remove the unfinished glow plug and filament
- Hammer inertia

**III. Product** - Set for removing and severe filament glow plug

HDI M8 x 1 / M9 x 1 / M10 x 1 / M10 x 1.25 / Toyota D4D M10 x 1.25 / 1.6 HDI candles NGK and other

**Set contains:**

- hammer
- Drill and severe filament spark plug M10 x 1 mm
- Tap into the broken filament spark plug M10 x 1 mm
- Adapter for drawing and severe filament glow plug M10 x 1 mm
- Guide adapter in the slot glow plug M10 x 1.00 mm
- Drill and severe filament spark plug M10 x 1.25 mm
- Tap into the broken filament spark plug M10 x 1.25 mm
- Adapter for drawing and severe filament glow plug M10 x 1.25 mm
- Guide adapter in the slot glow plug M10 x 1.25 mm
- Drill and severe filament spark plug M8 x 1 mm
- Tap into the broken filament spark plug M8 x 1 mm
- Adapter for drawing and severe filament glow plug M10 x 1.25 mm
- Guide adapter in the slot glow plug M8 x 1 mm
- Drill and severe filament candle M9 x1 mm
- Tap into the broken filament candle M9 x 1 mm
- Guide adapter in the slot glow plug M9 x 1 mm
- Adapter for drawing and severe filament glow plug M9 x 1 mm
- Tap into the broken filament spark plug M8 x 1 mm NGK spark
- Drill the broken filament spark plug M8 x 1 mm NGK spark
- Adapter for drawing and severe filament glow plug M8 x 1 mm NGK spark
- Guide adapter in the slot glow plug M8 x 1 mm NGK spark

**Application:**

Cars:

CDI

1.6 HDI Peugeot, Citroen, Mazda, Ford, Fiat, Volvo, Mini,

Toyota D4D

Fiat 1.3 Multi Jet, Fiat Ducat 2.3 / 3.0 Fiat Grande Punto M9 x 1 mm

DINING Mercedes E 211 S Clas, Sprinter, Vito after 2005

engines:

- OM 642 V6 capacity of 2.2 / 3.0 / 3.2

- OM 651 after 2009 220 CDI, 200 CDI

**IV. Product** - The key to picking the filament glow plug 2.7; 3.6; 4.0; 5 mm

**Application:**

Cars equipped with glow plugs in the filaments 2.7; 3.6; 4.0; 5.0 mm

---

**V. Single** - Locking sleeve electrode glow plug during drilling

**Sizes:**

- 3.5 mm - Application: Cars with glow plugs M10 / 3.5
- 2.8 mm - Application: Cars with glow plugs M10 / 2.8 (BMW thick electrode)
- 2.6 mm - Application: Cars with glow plugs M10 / 2.6
- 2.7 mm - Application: Cars with glow plugs M8 / 2.7
- 4.2 mm - Application: Cars with glow plugs M12 / 4.2

**VI. Product** - A set of drill bits to bore and severe filament glow plug - 4 pieces sizes:

- 2.6 x 130 x 200 mm
- 3 x 130 x 200 mm
- 4 x 130 x 200 mm
- 5 x 130 x 200 mm

**Application:**

Widia special drill to bore a prolonged and severe filament glow

**VII. Product** - cutter 8, 10, 12 mm reaming items located within a cylinder of the glow plug

Mills are used for reaming and severe tap, screwdriver and other strange objects inside the cylinder glow plug. They are equipped with extension for deep drowned glow.

**VIII. Product** - A set of special wrenches for glow plugs M8 x 1.00 / M9 x 1 / M10 x 1 / M10 x 1.25 / M12 x 1.25 mm

A set of special taps for verification, make a new thread glow with remote control leads. Taper enables the execution of legalizing the existing thread, as well as the execution of the new thread. The pilot operator designates the geometric axis of the threaded bore.

**Application:**

- Cars with glow plugs
- M8 x 1
- M8 x 1
- M10 x 1
- M10 x 1.25
- M12 x 1.25 mm

**IX. Product** - Special pliers to remove the filament and glow plugs.

**X. Product** - A set of tools for reaming of the filament glow plug VW Audi Mercedes Drill high performance and durability thanks to precisely oszlifowanym blades carbide.

**Kit Contents:**

- Bushing bore to the filament glow plug 2 pcs
- Bushing - Home
- Widia special drill to bore a prolonged and severe filament glow 5x130x200 mm

**Application:**

Mercedes CDI engines, VW Audi 2.5 TDI V6 and other

**XI. Product** - drill the pilot reaming and severe filament 3.0 HPI

**Application:**

Cars with engines of 3.0 HPI

**XII. Product** - cutter to bore a cylinder glow plug Mercedes CDI

**Application:**

Mercedes CDI Common Rail and other

**XII. Product** - A set of drill bits to bore clipped the glow plug 6 7 8 9 mm x130x200

Drill high performance and durability provide precision-ground blade with carbide.

---

**Application:**

A set of specialized drills to bore widiowych extensions clipped glow plug

**Includes sizes:**

6x130x200 mm  
7x130x200 mm  
8x130x200 mm  
9x130x200 mm

**XIII. Product** - cutter to legalize slot glow plug M12 x 1.25 with remote control

**Application:**

Cars with glow plugs M12 x 1.25 mm Mercedes and other

**XIV. Product** - Device for removing baked glow plug puller

**Application:**

Universal

**XV. Product** - A set of keys to the machined glow

**Set contains:**

- 3 pieces of key size 8, 10, 12 mm drive keys 1/4 "

The special design of the key allows you to perform your own design on the treated candle.  
Left spiral profile is screwed into the screw head to prevent objeżdżaniu.

**XVI. Product** - A set of special taps to legalize slot and threading the glow plug M8x1, M10x1, M10x1,25 mm

**Kit Contents:**

- Taper M8 x 1 mm
- Taper M10 x 1 mm
- Taper M10 x 1.25 mm
- Pilot centering tap 2 pieces
- Pilot running tap

**Application:**

All cars with glow plugs M8 x 1 mm, M10 x 1 mm, M10 x 1.25 mm